

Today's Date: \_\_\_\_\_

Patient Name: \_\_\_\_\_

FMP and Sponsor SSN last four: \_\_\_\_\_

Contact Number: \_\_\_\_\_

Patient Date of Birth: \_\_\_\_\_

## PEDIATRIC ADHD VISIT

Do you have specific **concerns** or questions about your child's ADHD today? \_\_\_\_\_

*(Please complete information below: If filled out before, list only changes since the last visit.)*

Chronic Medical Conditions	Surgeries/Hospitalizations (Dates)	Family History (biological siblings, parents, grandparents) (Circle all that apply)	Medications (PLEASE INCLUDE DOSAGE)
ADHD Hay fever/ Asthma Overweight Chronic ear infections Other:		Hay fever/Allergies Asthma Heart attack <50 Other:	<u>Include over-the-counter meds, Tylenol, Motrin, vitamins, herbal supplements):</u>  Does your child ever forget to take these medications? <input type="checkbox"/> Yes <input type="checkbox"/> No

Please list any known **ALLERGIES** your child has (drug, food, latex) \_\_\_\_\_  No Allergies

Is this visit deployment related?  Yes  No

Source of Medical Information:  Mother  Father  Patient  Other: \_\_\_\_\_

Are your child's immunizations up to date?  Yes  No  Unsure

Who does your child live with? \_\_\_\_\_

Does your child attend:  Daycare  Preschool  Public/private school  Home-schooled Grade: \_\_\_\_\_

Does anyone in the family smoke or is your child exposed to secondhand smoke?  Yes  No

Would you say your child's general health is:  Excellent  Very Good  Good  Fair  Poor

Do you & your child feel safe at home?  Yes  No

Is your child experiencing: Duration \_\_\_\_\_

Poor/failing grades?  Yes  No \_\_\_\_\_

Inattentive?  Yes  No \_\_\_\_\_

Hyperactivity?  Yes  No \_\_\_\_\_

Racing heart?  Yes  No \_\_\_\_\_

Chest pain?  Yes  No \_\_\_\_\_

Fainting?  Yes  No \_\_\_\_\_

Headache?  Yes  No \_\_\_\_\_

Mood swings?  Yes  No \_\_\_\_\_

Tics?  Yes  No \_\_\_\_\_

Problems getting along with others?  Yes  No \_\_\_\_\_

Behavioral problems in the classroom?  Yes  No \_\_\_\_\_

Abdominal pain?  Yes  No \_\_\_\_\_

Eating less?  Yes  No \_\_\_\_\_

Weight loss?  Yes  No \_\_\_\_\_

Trouble falling asleep?  Yes  No \_\_\_\_\_

Sleep problems?  Yes  No \_\_\_\_\_

Other: \_\_\_\_\_

When was your child diagnosed with ADHD? \_\_\_\_\_

What age did your child start medications? \_\_\_\_\_

What other medications has your child tried, if applicable? \_\_\_\_\_

Has your child had any counseling?  Yes  No

Any other therapies (speech, physical, occupational)?  Yes  No. If yes please list \_\_\_\_\_

Does your child have an individualized educational plan (IEP) / receive special education services?  Yes  No

Does your child have a history of heart problems?  Yes  No

Circle all that apply. Family history of: Sudden Death Hypertrophic Cardiomyopathy Arrhythmia Long QT syndrome

Pre-teen/teen females only (if applicable): Last menstrual period \_\_\_\_\_

Preferred language:  English  Other: \_\_\_\_\_


What is your preferred method for learning:  Verbal  Written  Other: \_\_\_\_\_

Are there any cultural or religious considerations that may affect your child's healthcare?  Yes  No \_\_\_\_\_

Is your child enrolled in the Exceptional Family Member Program (EFMP/Q-coded)?  Yes  No

Is your child's sponsor currently deployed?  Yes  No

Today's Date: \_\_\_\_\_

HT		HR		<b>Pain:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <b>Location of Pain</b> _____  Immunizations UTD per AFCITA: <input type="checkbox"/> Yes <input type="checkbox"/> No Technician Signature: _____
WT		BP		

\*Other VS per Provider request

**HPI:**

NE	Examination:	Normal	Abnormal
<input type="checkbox"/>	General:	<input type="checkbox"/> Active/Alert/WN/WD/NAD	<input type="checkbox"/>
<input type="checkbox"/>	Head/Neck:	<input type="checkbox"/> NCAT/non-tender/FROM	<input type="checkbox"/>
<input type="checkbox"/>	Eyes:	<input type="checkbox"/> Clear, no injection, no D/C, PERRL, EOMI	<input type="checkbox"/>
<input type="checkbox"/>	R ear:	<input type="checkbox"/> TM gray/mobile	<input type="checkbox"/> Bulging/immobile/red
<input type="checkbox"/>	L ear:	<input type="checkbox"/> TM gray/mobile	<input type="checkbox"/> Bulging/immobile/red
<input type="checkbox"/>	Nose:	<input type="checkbox"/> No congestion/discharge	<input type="checkbox"/> Congested
<input type="checkbox"/>	Oropharynx:	<input type="checkbox"/> Pink, moist, no lesions	<input type="checkbox"/>
<input type="checkbox"/>	Lungs:	<input type="checkbox"/> CTAB, no retractions, nl WOB	<input type="checkbox"/>
<input type="checkbox"/>	CV:	<input type="checkbox"/> RRR, no murmur, strong pulses, cap refill < 2 sec	<input type="checkbox"/>
<input type="checkbox"/>	Abd:	<input type="checkbox"/> Soft, NT, no HSM, no masses, nl BS	<input type="checkbox"/>
<input type="checkbox"/>	Ext:	<input type="checkbox"/> NL, FROM, nontender, no edema	<input type="checkbox"/>
<input type="checkbox"/>	Skin:	<input type="checkbox"/> No rash	<input type="checkbox"/>
<input type="checkbox"/>	Lymph:	<input type="checkbox"/> No adenopathy	<input type="checkbox"/>
<input type="checkbox"/>	Neuro:	<input type="checkbox"/> Nl gait, CN II-XII intact, strength 5/5, sensory intact to touch, DTR 2+/2+	<input type="checkbox"/>
<input type="checkbox"/>	Psychological:	<input type="checkbox"/> Nl mood and affect	<input type="checkbox"/> Hyperactive behavior <input type="checkbox"/> Impulsive behavior
	Other PE findings:	<input type="checkbox"/>	<input type="checkbox"/>

**ASSESSMENT:**

**PLAN:**

- Target Symptoms/Goals:**
- 1.
  - 2.
  - 3.

**F/U:** F/up \_\_\_\_\_, sooner if parental concerns

Patient and/or parent verbalizes understanding of treatment and plan

**PREVENTION:**  Safety  Tobacco avoidance  Car Seat/Seatbelt  Safe guard medications  Nutrition  Exercise  
 Media Time

**Signature:** \_\_\_\_\_

**Date:**

**Stamp:**

25 Jan 2011 SF 600

<b>RECORDS MAINTAINED AT:</b>		
PATIENT'S NAME (Last, First, Middle Initial)		SEX
RELATIONSHIP TO SPONSOR	STATUS	RANK/GRADE
SPONSOR'S NAME		ORGANIZATION
DEPART./SERVICE	SSN/IDENTIFICATION NO.	DATE OF BIRTH

Today's Date: \_\_\_\_\_ Child's Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

Parent's Name: \_\_\_\_\_ Parent's Phone Number: \_\_\_\_\_

**Directions:** Each rating should be considered in the context of what is appropriate for the age of your child.  
When completing this form, please think about your child's behaviors in the past 6 months.

Is this evaluation based on a time when the child  was on medication  was not on medication  not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 1102

American Academy  
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality

McNeil  
Consumer & Specialty Pharmaceuticals

Today's Date: \_\_\_\_\_ Child's Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

Parent's Name: \_\_\_\_\_ Parent's Phone Number: \_\_\_\_\_

<b>Symptoms (continued)</b>	<b>Never</b>	<b>Occasionally</b>	<b>Often</b>	<b>Very Often</b>
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

<b>Performance</b>	<b>Excellent</b>	<b>Above Average</b>	<b>Average</b>	<b>Somewhat of a Problem</b>	<b>Problematic</b>
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

**Comments:**

**For Office Use Only**

Total number of questions scored 2 or 3 in questions 1–9: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 10–18: \_\_\_\_\_

Total Symptom Score for questions 1–18: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 19–26: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 27–40: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 41–47: \_\_\_\_\_

Total number of questions scored 4 or 5 in questions 48–55: \_\_\_\_\_

Average Performance Score: \_\_\_\_\_



Teacher's Name: \_\_\_\_\_ Class Time: \_\_\_\_\_ Class Name/Period: \_\_\_\_\_

Today's Date: \_\_\_\_\_ Child's Name: \_\_\_\_\_ Grade Level: \_\_\_\_\_

**Directions:** Each rating should be considered in the context of what is appropriate for the age of the child you are rating and should reflect that child's behavior since the beginning of the school year. Please indicate the number of weeks or months you have been able to evaluate the behaviors: \_\_\_\_\_.

Is this evaluation based on a time when the child  was on medication  was not on medication  not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Fails to give attention to details or makes careless mistakes in schoolwork	0	1	2	3
2. Has difficulty sustaining attention to tasks or activities	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through on instructions and fails to finish schoolwork (not due to oppositional behavior or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (school assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by extraneous stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat in classroom or in other situations in which remaining seated is expected	0	1	2	3
12. Runs about or climbs excessively in situations in which remaining seated is expected	0	1	2	3
13. Has difficulty playing or engaging in leisure activities quietly	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks excessively	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting in line	0	1	2	3
18. Interrupts or intrudes on others (eg, butts into conversations/games)	0	1	2	3
19. Loses temper	0	1	2	3
20. Actively defies or refuses to comply with adult's requests or rules	0	1	2	3
21. Is angry or resentful	0	1	2	3
22. Is spiteful and vindictive	0	1	2	3
23. Bullies, threatens, or intimidates others	0	1	2	3
24. Initiates physical fights	0	1	2	3
25. Lies to obtain goods for favors or to avoid obligations (eg, "cons" others)	0	1	2	3
26. Is physically cruel to people	0	1	2	3
27. Has stolen items of nontrivial value	0	1	2	3
28. Deliberately destroys others' property	0	1	2	3
29. Is fearful, anxious, or worried	0	1	2	3
30. Is self-conscious or easily embarrassed	0	1	2	3
31. Is afraid to try new things for fear of making mistakes	0	1	2	3

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 0303

American Academy  
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality

McNeil  
Consumer & Specialty Pharmaceuticals

HE0351

**D4 NICHQ Vanderbilt Assessment Scale—TEACHER Informant, continued**

Teacher's Name: \_\_\_\_\_ Class Time: \_\_\_\_\_ Class Name/Period: \_\_\_\_\_

Today's Date: \_\_\_\_\_ Child's Name: \_\_\_\_\_ Grade Level: \_\_\_\_\_

Symptoms (continued)	Never	Occasionally	Often	Very Often
32. Feels worthless or inferior	0	1	2	3
33. Blames self for problems; feels guilty	0	1	2	3
34. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
35. Is sad, unhappy, or depressed	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
<b>Academic Performance</b>					
36. Reading	1	2	3	4	5
37. Mathematics	1	2	3	4	5
38. Written expression	1	2	3	4	5

Classroom Behavioral Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
39. Relationship with peers	1	2	3	4	5
40. Following directions	1	2	3	4	5
41. Disrupting class	1	2	3	4	5
42. Assignment completion	1	2	3	4	5
43. Organizational skills	1	2	3	4	5

**Comments:**

Please return this form to: \_\_\_\_\_

Mailing address: \_\_\_\_\_

\_\_\_\_\_

Fax number: \_\_\_\_\_

**For Office Use Only**

Total number of questions scored 2 or 3 in questions 1–9: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 10–18: \_\_\_\_\_

Total Symptom Score for questions 1–18: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 19–28: \_\_\_\_\_

Total number of questions scored 2 or 3 in questions 29–35: \_\_\_\_\_

Total number of questions scored 4 or 5 in questions 36–43: \_\_\_\_\_

Average Performance Score: \_\_\_\_\_

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

11-20/rev0303

NICHQ

National Initiative for Children's Healthcare Quality



Today's Date: \_\_\_\_\_ Child's Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

Parent's Name: \_\_\_\_\_ Parent's Phone Number: \_\_\_\_\_

**Directions:** Each rating should be considered in the context of what is appropriate for the age of your child. Please think about your child's behaviors since the last assessment scale was filled out when rating his/her behaviors.

Is this evaluation based on a time when the child  was on medication  was not on medication  not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
19. Overall school performance	1	2	3	4	5
20. Reading	1	2	3	4	5
21. Writing	1	2	3	4	5
22. Mathematics	1	2	3	4	5
23. Relationship with parents	1	2	3	4	5
24. Relationship with siblings	1	2	3	4	5
25. Relationship with peers	1	2	3	4	5
26. Participation in organized activities (eg, teams)	1	2	3	4	5

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 0303

American Academy  
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



Today's Date: \_\_\_\_\_ Child's Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

Parent's Name: \_\_\_\_\_ Parent's Phone Number: \_\_\_\_\_

Side Effects: Has your child experienced any of the following side effects or problems in the past week?	Are these side effects currently a problem?			
	None	Mild	Moderate	Severe
Headache				
Stomachache				
Change of appetite—explain below				
Trouble sleeping				
Irritability in the late morning, late afternoon, or evening—explain below				
Socially withdrawn—decreased interaction with others				
Extreme sadness or unusual crying				
Dull, tired, listless behavior				
Tremors/feeling shaky				
Repetitive movements, tics, jerking, twitching, eye blinking—explain below				
Picking at skin or fingers, nail biting, lip or cheek chewing—explain below				
Sees or hears things that aren't there				

**Explain/Comments:**

**For Office Use Only**

Total Symptom Score for questions 1–18: \_\_\_\_\_

Average Performance Score for questions 19–26: \_\_\_\_\_

Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD.

American Academy  
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

**NICHQ**

National Initiative for Children's Healthcare Quality





Teacher's Name: \_\_\_\_\_ Class Time: \_\_\_\_\_ Class Name/Period: \_\_\_\_\_

Today's Date: \_\_\_\_\_ Child's Name: \_\_\_\_\_ Grade Level: \_\_\_\_\_

**Directions:** Each rating should be considered in the context of what is appropriate for the age of the child you are rating and should reflect that child's behavior since the last assessment scale was filled out. Please indicate the number of weeks or months you have been able to evaluate the behaviors: \_\_\_\_\_.

Is this evaluation based on a time when the child  was on medication  was not on medication  not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
19. Reading	1	2	3	4	5
20. Mathematics	1	2	3	4	5
21. Written expression	1	2	3	4	5
22. Relationship with peers	1	2	3	4	5
23. Following direction	1	2	3	4	5
24. Disrupting class	1	2	3	4	5
25. Assignment completion	1	2	3	4	5
26. Organizational skills	1	2	3	4	5

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 0303

American Academy  
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



Teacher's Name: \_\_\_\_\_ Class Time: \_\_\_\_\_ Class Name/Period: \_\_\_\_\_

Today's Date: \_\_\_\_\_ Child's Name: \_\_\_\_\_ Grade Level: \_\_\_\_\_

Side Effects: Has the child experienced any of the following side effects or problems in the past week?	Are these side effects currently a problem?			
	None	Mild	Moderate	Severe
Headache				
Stomachache				
Change of appetite—explain below				
Trouble sleeping				
Irritability in the late morning, late afternoon, or evening—explain below				
Socially withdrawn—decreased interaction with others				
Extreme sadness or unusual crying				
Dull, tired, listless behavior				
Tremors/feeling shaky				
Repetitive movements, tics, jerking, twitching, eye blinking—explain below				
Picking at skin or fingers, nail biting, lip or cheek chewing—explain below				
Sees or hears things that aren't there				

**Explain/Comments:****For Office Use Only**

Total Symptom Score for questions 1–18: \_\_\_\_\_

Average Performance Score: \_\_\_\_\_

Please return this form to: \_\_\_\_\_

Mailing address: \_\_\_\_\_

Fax number: \_\_\_\_\_

Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD.

American Academy  
of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN™

11-22/rev0303

NICHQ

National Initiative for Children's Healthcare Quality